

SVS PSO Quality Improvement Project Site Questionnaire

Prospective, Non-Randomized, Multi-Center Evaluation of the long-term safety and effectiveness of Lombard Medical Aorfix™ AAA Flexible Stent Graft System Project

CONTACT INFORMATION

Lead Physician: The Lead Physician is responsible for supervision of the QI Project data collection at the Site

Physician Name Physician Institution
Phone Number Physician email

The Vascular Quality Initiative (VQI)

Do you currently participate in the SVS:

(Choose all that apply)

The EVAR Registry within the VQI

Data Abstractor: The Primary Data Abstractor is responsible for accurate data entry for the QI project at all time points at the Site as determined by the Lead Physician. The Data Abstractor will serve as the day-to-day point of contact during the conduct of the study

Abstractor Name Abstractor's email

ENROLLMENT POTENTIAL

Estimate the number of infrarenal Aortic Aneurysms EVAR cases performed at your site monthly.

Historically, what is the approximate percentage of EVAR patients who return to your Site for standard-of-care follow up at one (1) year?

If less than 75%, what is the most common reason for non-compliance?

How many national vascular clinical trials or observational studies has your site participated in during the past year?

Do you have nurses who regularly collect and enter data for clinical trials?

No

Yes

Additional Comments about your site's experience with clinical trials and EVAR trials that would help the Steering Committee select sites for this project.

PROJECT AGREEMENT

Required for all participants

Contract Coordinator Name Phone Number

Contract Office Name Fax Number

Office Address Coordinator email

City State Zip Code

Form Completed By/Title Current Date

This is a quality improvement project of the SVS Patient Safety Organization and is not a clinical trial. It is a normal PSO function to assess the safety and efficacy of patient treatment. As with all data reported to the PSO, patient consent and IRB approval is not required. Please do not provide information that is confidential or proprietary.

Thank you for your interest! Contact: Elizabeth Schwendler at AorfixProject@m2s.com